

# HID RFID card reader



With its **user-friendly design** and **reliable performance**, the wall-mounted RFID Card Reader is the perfect solution for industries requiring efficient card reading capabilities in fuel management systems.

# HID RFID card reader

The HID RFID Card Reader is an essential component of the GT-9 fuel controller, specifically designed to read HID EM Marin or Mifare cards.

Featuring a compact and wall-mounted design, this card reader offers seamless integration and reliable performance.

Equipped with a buzzer for audible confirmation and a small red LED indicator, it provides visual and sound feedback when cards are successfully read.

Designed to read HID EM Marin or Mifare cards, ensuring compatibility with existing systems.

Buzzer emits a beep sound for audible confirmation when cards are read.

Small red LED indicator provides visual feedback for card reading status.

Fast reading capabilities from up to 5 cm distance, ensuring efficient operation.

Panel-mounted installation for secure and streamlined placement.

Compact and wall-mounted design for easy integration and installation.

## Datasheet

**DIMENSION :**  
118 x 76 x 22 mm

**INPUT VOLTAGE :**  
9 – 12 VDC

**BUZZER :**  
YES

**ENVIROMENT :**  
IP 67

**WEIGHT :**  
95 g

**INTERFACE :**  
1-wire / weigand

**INSTALLATION :**  
Panel mounted

**WORKING TEMPERATURE :**  
–40 to +85 °C

**CARD ID LENGHT :**  
6 bytes

**READ RANGE :**  
< 5 cm

**LED :**  
YES

**CARD TYPE :**  
EM Marin 125 KHz  
or Mifare 13.56 Mhz

